

HISTORIC TECHNICAL PASSPORT (HTP)

2025 DETAILED GUIDELINES

A WORLD IN MOTION

ALL FIA HISTORIC CONTENT AVAILABLE ON WWW.FIA.COM/HISTORIC

The texts and documents in the present brochure are for information only. The only regulations that are considered official are those published in the FIA Yearbook of Automobile Sport, in the periodical FIA Bulletins and on the FIA website.

FIA.COM

FEDERATION

INTERNATIONALE

DE L'AUTOMOBILE

FIA HISTORIC DATABASE ON WWW.HISTORICDB.FIA.COM





PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM

PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES



HISTORIC TECHNICAL PASSPORT GUIDELINES PURPOSE OF THE DOCUMENT

The Historic Technical Passport (HTP) serves two purposes, firstly for the use of technical and eligibility officials at competitions and secondly for the use of competition organisers in both classification and class structure for their competitions.

As stated on the first page of the document:

- The HTP is not a certificate of authenticity, nor does it in anyway verify the history of the car or its constituent parts.
- The FIA merely certifies that the required information gathered and confirmed by the ASN at the date of the inspection, is sufficient for the car to be eligible to compete in FIA-sanctioned events for historic vehicles.
- Neither the FIA nor the ASN certifies or takes responsibility for the accuracy of the items shown below as «represented» as those were provided by the applicant (as detailed in Page 24), on behalf of the owner, based upon his best available knowledge and are not verifiable by the ASN and/or the FIA.

As detailed into Appendix K under Article 4.3, there are procedures in case of non-conformity:

- The red dot procedure if the car is presented with a minor irregularity and which may require an update of the papers.
 - Ex: Wrong technical description or mistake in the form, technical irregularity that does not affect performance.
- The black dot procedure if the car is presented with a safety irregularity.
 - In that case, the car cannot take part in the Competition.
- For non-conformities that have an affect on the performance of the car, those shall be reported to the Stewards.

For the full regulatory texts, these are available in Appendix K.



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM

PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES



HISTORIC TECHNICAL PASSPORT GUIDELINES THE APPLICATION PROCEDURE

To apply for an HTP, three steps need to be carried out:

- 1. Define the requested technical specification of the car, that needs to have existed in period.
- 2. Refer to the applicable regulations:
 - Appendix K, the Homologation form and the corresponding Appendix J for a HOMOLOGATED CAR;
 - Appendix K, the period Appendix J and possibly Championship regulations for a NON-HOMOLOGATED CAR.
- 3. Compile the HTP application in accordance with the above.
 - If you wish to use additional specification to the one presented originally, for a different wing assembly or engine as an example, that specification will have to be added through a Variant to the base HTP. It can be submitted from the start of the procedure along with the other forms and for as many specificationas you wish to use.

Once the above is settled and the form is filled-in, it will be reviewed by your ASN and then submitted to the FIA for final consideration by the FIA Vehicle Compliance Sub-Commission (FIA VCSC). The purpose of this worldwide spread panel is to consider each application and its compliance with the relevant regulations and period specification.

Should there be administrative mistakes, non-compliance and/or need for clarification, comments will be returned to the ASN in charge of the application for further consideration. If everything is in order, the application will simply be validated and a FIA Database Number issued.

IMPORTANT – Where required, the FIA VCSC may request that specifics be added into the HTP Template using Section 8 images or the Page 19 for Documentary References picture section.



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM

PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES



For 2025, the valid documents will be split in two different sets :

2025 HTP Application Form - Common 2025 International HTP K1 EV1 2020 International Variant HTP - Common

The **K1 template** is specific to all FIA Periods starting from A to J2, **excluding Period IC, JR1T, JR1 and JR2.**

Changes include:

- 2.1.J Year of specification rather than manufacture
- 3.1 Addition of mandatory clutch specifics
- 3.2 Changes to the description of final drives
- 4.1 Addition of the handbrake operating mechanism
- Page 19, four additional images can now be uploaded under the technical references section.

2025 HTP Application Form - Common 2025 International HTP K2 EV1 2020 International Variant HTP - Common

The **K2 template** is specific to all FIA Periods starting from Period IC and including JR1T, JR1 and JR2 and all Period K cars – **Excluding J1 and J2**

Changes and specifics include:

- All sections and images as per the K1 template, including the updates detailed.
- Group A / B / N ALL SENSORS that are not part of the standard production vehicle and shown on the homologation form must be listed.
- Pour toutes les autres voitures, TOUS LES CAPTEURS doivent être mentionnés dans toutes les sections, en plus des informations obligatoires requises à la page 19.
- Page 19 becomes dedicated to ECU & Electronics System, where mandatory loom detailing, ECU position and ECU main connector must be inserted.



HISTORIC TECHNICAL PASSPORT GUIDELINES GENERAL FEATURES

2025 International HTP K1 EV1

FULL Sample/Best Practice available here.

				Red/black dot	entries:
				Manda	atory fields *
HISTORIC	TECHNICAL F	ASSPORT V	ALID IN RACING &	HILL-CLIMB & R.	ALLY *
The FIA merely certi to compete in FIA-sa Neither the FIA nor t	fies that the required inform anctioned events for historic he ASN certifies or takes re	ation gathered and confirm vehicles. sponsibility for the accurac	yway verify the history of the car or ned by the ASN at the date of the int by of the items shown below as «rep best available knowledge and are n	pection, is sufficient for the car to resented» as those were provided	d by the
ISSUING ASN	: FEDERAZIONE A	UTO MOTORISTIC	A SAMMARINESE		
FORM NUMBE	R: RSM-5137		CATEGORY: COMPET	TION TOURING CAR	
PERIOD F	*- 01.01.1962	*to 31.12.1965	* Valid to 31.12.2035	FIA CLASS : CT8	
Code, for cars takin	g part in historic competiti	ons. This certified copy (ad by the ASN in accordance with of the original form remains the pr wing the whole event the car must	operty of the FIA and, if replace	d with a new





Each page of this form, as well as the edge of each photograph, must bear the stamp of the issuing ASN

We, the FAMS , have checked the information given on this form up to and including page 24 and confirm that to the best of our reasonable knowledge and belief as of today, the car compiles with the period specification of the make and model represented.

D	ate:		Name and status of signatory:
FIA HTP vignette	Signature:	Stamp:	

2025 International HTP K2 EV1

FULL Sample/Best Practice available here.

					F	Red/black do	ot en
							+
						Man	datory
HISTORIC TE	CHNICAL P	ASSPORT	VAL	LID IN RACING			
to compete in FIA-sanction Neither the FIA nor the ASI	ed events for historic (N certifies or takes res	vehicles. sponsibility for the acci	uracy c	I by the ASN at the date of the of the items shown below as e est available knowledge and a	represented» a	s those were provis	ded by ti
ISSUING ASN: FE	DERAZIONE AL	UTO MOTORIST	ICA	SAMMARINESE			
FORM NUMBER : I	RSM-5139		•	CATEGORY: TWO-S	EATER RA	CING CAR	
PERIOD IC	- 01.01.1982	*to 31.12.199	3 *	Valid to 31.12.yyy	y FIA CL	ASS : GC/1B	
10							
The original of this docum Code, for cars taking part	in historic competitio	ons. This certified co	py of t	by the ASN in accordance he original form remains the g the whole event the car m	property of th	e FIA and, if repla	ced wit
The original of this docum Code, for cars taking part	in historic competition the issuing ASN white	ons. This certified co	py of t	he original form remains the	property of th ust conform to	e FIA and, if repla	ced wi
The original of this docum Code, for cars taking part form, must be returned to	in historic competitio the issuing ASN whit	ons. This certified co	py of t	he original form remains the g the whole event the car m	property of th ust conform to	e FIA and, if repla	ced wit
The original of this docum Code, for cars taking part form, must be returned to Make represented: Year of specification:	in historic competitio the issuing ASN whit	ons. This certified co	py of t	he original form remains the g the whole event the car m Model represented:	property of th ust conform to	e FIA and, if repla all the declaration	ced wit



Each page of this form, as well as the edge of each photograph, must bear the stamp of the issuing ASN

We, the FAMS , have checked the information given on this form up to and including page 24 and confirm that to the best of our reasonable knowledge and belief as of today, the car complies with the period specification of the make and model represented.

	Re and model represented. Date:		Name and status of signatory:
FIA HTP vignette	Signature:	Stamp:	

2025 International HTP K2 EV1 Form Page 1: Complete





There are 3 major types of fields to fill the form.

1st type: Simple Drop-Down Menus

Click on the menu and then chose the applicable description.

Mandatory fields *
HISTORIC TECHNICAL PASSPORT VALID IN RACING & HILL-CLIMB

Select the appropriate entry, up to 3 disciplines may be entered.






2nd type: Drop-Down Menus opening a further field.

Depending on the answer which may be "YES" or "NO", different possibities may arise.

- 1. "YES" will mostly lead you to continue to the next drop-down menu and so on;
- 2. "NO" will require you to fill-in a further text field aimed at clarifying your answer.






3rd type: Images

In order to insert an image, click within the picture box, either select the image through a pop-up window which will invite you to browse through your file or clear the field if you need to insert another one. Please take photos in a 16:9 format - (1280x720px). They will automatically adjust to the boxing.





Once you've chosen the picture, it will automatically adjust to the size of the box.

All pictures are MANDATORY

HISTORIC TECHNICAL PASSPORT GUIDELINES GENERAL FEATURES

A few tips and tricks about the form.

For questions such as "Is the xxxxx as per the period specification?", two answers are possible:

- If that element is as per the original model The Chose YES and move to the next field;
- If you have modified that element compared to the original model > Chose NO and explain the modification in the following Clarification field, which is mandatory.

On the K1 template, for questions such as "Are sensors fitted?", two answers are possible:

- The original car has not been equipped with additional sensors → Chose NO and leave the next field blank;
- The original car « stock » has been equipped with additional sensors → Chose YES and detail which ones on the next field.

The following instruments do not need to be filled in: Engine RPM, engine oil pressure & temperature, engine water temperature and fuel pressure.

- For the K2 Template:
 - Group A / B / N ALL SENSORS that are not part of the standard production vehicle must be listed.
 - For all other cars, ALL SENSORS must be listed in all sections, complementary to mandated information required on Page 19.

/!\ ALL FIELDS MUST BE FILLED IN!

For cases where the requested information does not exist, state "N/A". This enables administrative services to ensure that there is no oversight.

In terms of material, as all metals are alloys, you must always specify their base material (steel, aluminium, magnesium, etc.).



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM

PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES



<u>"VALID IN" – Drop-down menu:</u> Disciplines in which the car will be entered.

<u>/!\ Risk of error:</u> Selecting disciplines for which the car is not eligible (e.g. Rally despite having no bumpers on the car).

Issuing ASN: To be completed by the ASN.

Form number: To be completed by the ASN. The ASN number consists of the letter of the country and a four-digit number starting from 5000.

<u>Category – Drop-down menu:</u> Category of the car, in accordance with Appendix I to Appendix K.

/!\ Risk of error: Not knowing the FIA category and being too literal (e.g. a Ford Sierra RS Cosworth Group A taking part in Rally is not a "Two-Seat Racing Car" but a "Competition Touring Car").

<u>Period – Drop-down menu:</u> Period of the car's specification in accordance with Article 3.2 of Appendix K.

/!\ Risk of error: Focusing on the letter and forgetting to type the years and vice-versa.

<u>Valid to ...:</u> To be completed by the ASN. The year should be a 4 figure number.

FIA Class: According to Article 8 to Appendix K.

				Red/black dot entries:
				Mandatory fields
HISTORIC TE	CHNICAL P	ASSPORT V	ALID IN RACING 8	& HILL-CLIMB & RALLY
The FIA merely certifies the to compete in FIA-sanction Neither the FIA nor the AS	at the required informs ned events for historic iN certifies or takes res	ition gathered and confir vehicles. ponsibility for the accura	cy of the items shown below as «re	or its constituent parts. inspection, is sufficient for the car to be eligible apresented» as those were provided by the not verifiable by the ASN and/or the FIA.
ISSUING ASN : FE	DERAZIONE A	UTO MOTORISTIC	CA SAMMARINESE	
FORM NUMBER :	RSM-5137	*	CATEGORY: COMPE	TITION TOURING CAR
PERIOD F	*- 01.01.1962	*to 31.12.1965	* Valid to 31.12.2035	FIA CLASS : CT8
Code, for cars taking part form, must be returned to	t in historic competition the issuing ASN whi	ns. This certified copy	of the original form remains the p	ith Appendix «K» to the International Sportit property of the FIA and, if replaced with a ne st conform to all the declarations of this HTF GIULIA SPRINT GTA
	1965		* FIA identity n°:	XX512
Year of specification : Engine type :	1965 STRAIGHT 4 DO	HC	* FIA identity n° : * Engine capacity :	XX512 1598 cm ^{3 *} Corrected : cm



Each page of this form, as well as the edge of each photograph, must bear the stamp of the issuing ASN

We, the FAMS have checked the information given on this form up to and including page 24 and confirm that to the best of our reasonable knowledge and belief as of today, the car complies with the period specification of the make and model represented.

Date: Name and status of signatory:

FIA HTP vignette Signature: Stamp:

2025 International HTP K1 EV1



Make represented: This is the make "represented" by the person who applies for the car's HTP (the "applicant", who can be either the owner of the car, or the person duly authorised by the owner of the car to submit the application). In this article and all the following ones, the word "represented" means that this entry is that which is declared by the applicant; this claim is therefore the sole responsibility of the applicant (see also grey box on Page 1 of the HTP).

Advice: For homologated cars, enter the make written on the Homologation Form.

<u>Model represented:</u> Model as declared by the applicant. Always use the homologated make and model for homologated cars. <u>Advice:</u> For homologated cars, enter the model written <u>on the Homologation Form.</u>

<u>Year of specification:</u> The year in the FIA Appendix K Period in which the model was current. This year defines the technical specifications to which the applicant's car is purported to comply.

Advice: The year of specification is very important. It is defined according to the parts mounted on the car. If your car, manufactured in 1966, is equipped with a component contained in an extension of the Homologation Form issued in 1969, then your car's year of specification is 1969. If you use several extensions to the Homologation Form, then the latest one will be the one setting the year of specification. The period filled in previously must correspond to the year of specification.

FIA identity No.: To be completed by the ASN, according to instructions from the FIA.

Engine type: Number of cylinders, configuration and distributor type (e.g. Straight 4 DOHC; V8 OHV; etc.). If the engine manufacturer is different from the car manufacturer, or if the engine is of a particular type (Essex, Climax, DFV, BDG, etc.), that must be stated in this field.

(!\ Risk of error: Writing "turbo" or the manufacturer's engine code, etc.

Engine capacity and corrected engine capacity: The capacity filled in here must always be the real and actual capacity, not the original one. For naturally aspirated piston engines, there is no corrected cubic capacity. Corrected cubic capacity only apply to forced induction engines or rotary piston engines. Check the car's Homologation Form or the period Appendix J for the coefficient that applies to your car, if relevant as in some periods, there was no equivalent.

<u>FIA Homologation Form number (if applicable):</u> If the car has a Homologation Form. A verified copy of it must always be attached to the HTP and brought to competitions.

Number of relevant valid pages of Homologation Form: If the car has a Homologation Form, complete the number of pages of the basic Homologation Form plus the number of extension pages that it is possible to use regarding the specification year and the chosen discipline(s).



<u>Pages 1 and 2 - Presentation photographs – Photos must be sharp and represent:</u>

- The complete car, ready to race with or without its numbers;
- From 3/4 front right (Page 1) and 3/4 rear left (Page 2), the car must be presented in order to provide a complete view;
- There must be adequate and uniform light, no shadows;
- The stationary car with nobody on board;
- A limited amount of stickers are authorised, in accordance with Article 2.1.9 to Appendix K as well as for cars replicating a period livery and justified by a reference picture on Page 2;
- Windscreen strip are not allowed unless part of a period livery;
- Cars competing in rallies must be fitted with bumpers to the period specification of the model unless the model was homologated in period without bumpers.







Manufacturers Reference No. for Application

26/H/1



F.I.A. Recognition No.

(1)

(2)

ROYAL AUTOMOBILE

PALL MALL, LONDON, S.W.I.

Federation Internationale de l'Automobile.

Amendment to Form of Recognition

LOTUS CARS LTD. Manufacturer.

Model

ARIANT TO STANDARD PRODU

CHASSIS NO. 26/3901 ALL CARS ARE FITTED

- NEW DASH PANEL FACIA AND INTERIOR TRIM.
- NEW REAR LIGHT CLUSTER.

Stamp of F.I.A./R.A.C. to be affixed here.

- GIRLING TYPE 14 FRONT DISC BRAKE CALIPER.
- KNOCK-ON PRESSED STELL DISC WHEELS
 - RIM WIDTH 117.475 m.m.
- CONNECTING ROD PART NO. 26E714 (125E) VALVE (INLET) - MATERIAL EN.52

DIAMETER OF HEAD OF VALVE 1.50"

PART NO. B2442





List of extensions to the Homologation Form used:

List the different extensions to the Homologation Form in accordance with the parts featured on the car.

- Form extensions are marked with a number (1).
- 2 Each extension lists the parts homologated by the manufacturer in period (2).
- 3 Each extension has a date of homologation (3).

The latest extension determines the year of specification (requested on Page 1).

Advice: When listing the different extensions used on your car, count the number of extension pages permitted regarding your specification year and the disciplines required.

The number of pages of the base Form plus the number of extension pages permitted make up the number requested on Page 1 in the section "Number of relevant valid pages of Homologation Form".





PERIOD IMAGE OF THE ORIGINAL CAR BODYWORK: The reference picture has to be of a model that shares the period specification claimed for the presented car. Any difference between the presented car and the reference picture have to be corrected so that the reference car and the presented car are identical. In the case were the car has a livery, the reference picture is necessary. In the case of the car being standard or exactly like the Homologation applicable, that Homologation image can be used.

<u>Event:</u> Name of the Competition and/or, as a minimum, of the location. The caption must be accurate enough so that the car can be identified in the classification of the relevant Competition.

<u>Date of the Competition:</u> Month and year formatted to DD.MM.YYYY.

Box to tick regarding its history: Under certain conditions, cars bearing a national history only may be issued with an HTP. In such cases, the ASN must avoid any ambiguity and indicate this clearly in the application. The box at the bottom of Page 2 must be ticked.

/!\ Full Competition name and Date (DD/MM/YYYY) are MANDATORY



ISSUING ASN : FAMS FORM No RSM-5137

1 - CHASSIS, SUSPENSION

1.1 CHASSIS FRAME

[a]	Is the car fitted with a chassis to the period specifications?	YES	*
[b]	Not applicable		
[c]	Construction (girder, tubular, monocoque, etc.): MONOCOQUE		*
[d]	Materials: STEEL		*

1.2 FRONT SUSPENSION

[a]	Is the suspension as per the period specifications and dimensions?	YES
[b]	Not applicable	
[c]	Type of suspension (rigid axle, wishbones, de Dion, etc.):	
	WISHBONES	
[d]	Type of spring (coil, leaf, torsion bar, etc.): COIL	
[e]	Type of dampers (friction, lever, telescopic, etc.): TELESCOPIC - KONI 8211	
[f]	Are the dampers adjustable?	YES
[g]	Please state the number of adjusters per damper (not the possible number of adjustment)	TWO (2)
[h]	Material of the dampers:	STEEL
[i1]	Is the geometry of suspension adjustable?	YES
[i2]	Is the height of suspension adjustable?	NO
[i]	Please specify the method (Uniball joints, different mountings, etc.):	
	i1: DIFFERENT MOUNTINGS	
[k]	Is it fitted with an anti-roll bar?	YES
[1]	Please specify, is this bar adjustable?	NO
[m]	Are sensors fitted?	NO
[n]	Not applicable	

1.1.[a]: Unless particular modifications are to be clarified, tick "YES".

1.1.[b]: To be completed only if you have answered "NO" to question 1.1.[a].

1.1.[d]: Specify the main material(s) of which the chassis is constructed.

1.2.[f]: Specify if it is possible to adjust bump and/or rebound of the dampers. If yes, complete 1.2.[g].

1.2.[g]: State the number of <u>adjusters</u> per damper /!\tamber of adjusters is not the number or range of adjustment settings or clicks but the number of adjustment controls.

1.2.[h]: Indicate the material of - the main body - the dampers.

1.2.[i]: Specify if the geometry or the height of suspension is adjustable by ticking "YES" or "NO".

1.2.[j]: Specify the adjustment method for each of the above.

Point [i1] is for the adjustment of the geometry and Point [i2] is for the ride height. The adjustments available depend on the parts mounted on the car. Two cars of the same model may not have the same setup possibilities if they are from a different group or period (even within the same period).

Section 1.3.: Same as Section 1.2.



ISSUING ASN: FAMS

FORM No RSM-5137



What must be visible:

- Upper and lower damper mountings;
- Ends of each pull rod;
- Wishbone(s) or axle(s);
- Mounted silent blocks and/or rose joints;
- Pivot between the stabilizer and the arm.



This photo clearly shows both sides of the wishbones and the two damper mountings and the anti roll bar is visible.

As these photos show most of the required points and are clear and well exposed, they are acceptable.

/!\textsup If the car is fitted with drum brakes then for the side view photo the drum must be removed and included in the photo so that the <u>inside</u> of the drum is visible.

<u>/!\</u> The suspension has to be free on the photo (do not put the jack or axle stand under the wishbone but under the chassis).



ISSUING ASN : FAMS

FORM No RSM-5137



What must be visible:

- Upper and lower damper mountings;
- Ends of each pull rod;
- Wishbone(s) or axle(s);
- Mounted silentblocks and/or rose joints;
- Pivot between the stabilizer and the arm;
- If applicable, the handbrake linkage.



These photos show most of the elements requested. It is clear and well exposed. They are acceptable.

/!\ If the car is fitted with drum brakes then for the side view photo the drum must be removed and included in the photo so that the <u>inside</u> of the drum is visible.

<u>(1)</u> The suspension has to be free on the photo (do not put the jack or axle stand on the wishbone but on the chassis).



ISSUING ASN : FAMS FORM No RSM-5137

2 - ENGINE

2.1	ENGINE				
[a]	Is the engine as per the period specific	cations for this o	chassis?	YES	*
[b]	Not applicable				
[c]	Is the position of the engine as per the	period specific	ations?	YES	*
[d]	Not applicable				
[e]	Is the cylinder block cast using the per	iod specification	n material and dimensions?	YES	*
	Specify materials : ALUMINIUM				*
[f]	Not applicable				
[g]	Is the cylinder head cast using the per	iod specification	n material and dimensions?	YES	*
	Specify materials : ALUMINIUM		Casting number: NONE		*
[h]	Not applicable				
[i]	Make: ALFA ROMEO	Casting	number of the block: AR0526/A*E	33446	*
[i]	Year of specification: 1965	Operatin	g method: FOUR STROKE CYC	LE	*
[k]	Number of cylinders: 4	Configura	ation (straight, V, etc.): STRAIGH	Т	*
[1]	Bore: original 78.00	mm	Stroke: original 82.00	mm	*
	actual 78.75	mm	actual 82.00	mm	
[m]	Engine capacity: original 1567	cm ³	actual 1598	cm ³	*
[n]	Number of intake ports: 4	Numbe	er of plugs per cylinder: 2		*
	Number of exhaust ports: 4	Number	of valves per cylinder: 2		*
	Not applicable				
	Not applicable				
[o]	Valve sizes to period specifications?			YES	*
[p]	Not applicable				
[q]	Are sensors fitted?			NO	*
[r]	Not applicable				

- 2.1.[e]: /!\ Risk of error: Forgetting to specify the material.
- 2.1.[g]: /!\ Risk of error: Forgetting to specify the material or the casting number.
- 2.1.[i] & [i]: Specify the make and year of specification of the engine.
- <u>2.1.[n]:</u> Number of ducts = Total number of intake or exhaust ports in the cylinder head(s).
- /!\ Risk of error: Regarding the spark plugs, the question refers to the number of spark plugs per cylinder and not to the total number of spark plugs.



ISSUING ASN : FAMS

2.2	IGNITION	
[a]	Is the system as per the period specifications?	YES *
[b]	Not applicable	
[c]	Type (magneto, breaker/coil, etc.): BREAKER/COIL	*
[d]	If the ignition is electronic, specify the make and principle:	
[e]	Are sensors fitted?	NO *
[f]	Not applicable	

2.3	FUEL FEED					
[a]	Are the make, type a	nd numbe	er of carburettors / injecti	on as per the period speci	ifications?	YES
[b]	Not applicable					
[c]	Carburettor: Number	2	Make WEBER	Type 45DCOE	ø of venturi VAR	t. m
[d]	Injection:	Make		Туре		
[e]	If an air restrictor is fit	tted, diam	eter of the restrictor:	mm		
[f]	If supercharged, is th	e superch	narger as per the period	specifications?		N/A
[9]	Not applicable					
[h]	Supercharger:		Make	Туре	Number	
[i]	If an air cooler is fitted	d, is it as	per the period specificat	ions?		N/A
[i]	Not applicable					
[k]	Are sensors fitted?					NO
[1]	Not applicable					

2.2.[c]: The answer on the type of ignition must read:

- Typical "breaker" ignition Distributor/Breaker/Coil
- Later "electronic" type Distributor/Electronic/Coil
- If no distributor (Period J2) Multi Coil/Crank Trigger/ECU

2.2.[d]: Specify the make and especially the <u>principle</u> of the ignition trigger.

Examples:

BMW M3 = Bosch DME Magnetic trigger Porsche 911 SC = Bosch BHKZ Capacitive discharge

2.3.[c]: - For Group 1, 3 and N, it is mandatory to specify the homologated venturi diameter.

- For other groups, when the venturi diameter is left free by the period Appendix J, enter "N/A".
- If the diameter constantly varies, enter "variable".

/!\Risk of error:Confusing the external diameter of the butterfly with that of the venturi. For Group 1 & 3 cars, you still have to specify the venturi diameter.

2.3.[d]: For a homologated car, refer to the car's Homologation Form.

Examples:

BMW M3 = Bosch DME

Porsche 911 SC = Bosch K-letronic

2.3.[e]: The restrictor diameter requested is the one required by the regulations applicable to the car. Refer to Appendix K and the period regulations, to find the accurate diameter.

2.3.[h]: Examples: Make: Garrett Type: T3

Make: Volkswagen Type: G40



ISSUING ASN : ACCUS

2.4 FUEL SYSTEM

[a]	Is the fuel system as per the period specifications?	YES	*
[b]	Not applicable		
[c]	Type of fuel feed (gravity, mechanical pump, electric pump, etc.): WET SUMP		*
[d]	Is a fuel cooler fitted	NO	*
[e]	Is the fuel tank as per the period specification's location?	YES	*
	Does it comply with Appendix K?	YES	*
[f]	140 LITRES - FIA FT3-1999		*
[g]	Are sensors fitted?	NO	*
[h]	Not applicable		

2.5 LUBRICATION

YES
YES
YES
NO

2.4.[e]: MANDATORY to clarify the capacity of the tank and the type used in accordance with Article 5.5 to Appendix K.





ISSUING ASN: FAMS

FORM No RSM-5137





Photos of the engine:

The photos of the engine must show the complete engine bay, the more we see, the better it is. Considering period specification or homologation requirements, radiator, top suspension struts are of interest, exhaust manifold as well. Obviously the more is included the better it will be to consider the Application, the opposite may lead to further queries.

When an air filter or airbox is fitted, please remove the assembly on one of the two pictures, equally, best effort must be made to include the exhaust manifold entirely

If impossible to include the exhaust manifold, it is mandated to insert an additional image of the part on Page 19 or 20, depending on the template used.



ISSUING ASN : FAMS FORM No RSM-5137

3 - TRANSMISSION

CEADDON & CLUTCH

[a]	Is the gearbox as per the period specifications?					
	Is the gearbox as per the period specifications?					
[b]	Not applicable					
[c]	Make: ALFA ROMEO		Type: MANUAL SYNCHROMESH			
[d]	Number of forward gears: 5		reverse gear: YES			
[e]	Number of teeth (for homologated cars only):					
	1st gear: 35/18	2nd gear: 30/23	3rd gear: 26/27			
	4th gear: DIRECT	5th gear: 21/32	6th gear:			
	Constant: 30/23	alternatives listed	ted in section 9			
[f]	Clutch type: MECHANICAL					
[g]	Actuation: OTHER		Please specify: CABLE			
[h]	Number of plates: SINGLE					
[i]	Is an oil cooler fitted?			NO		
[j]	Not applicable					
[k]	Are sensors fitted?			NO		
[1]	Not applicable					

FINAL DRIVE 3.2 Driven wheels: REAR Drive method (shaft, chain, etc.): SHAFT Is the final drive ratio as per the period specifications? Specify the number of teeth used: 8/43 Specify the other number of teeth available as period specifications: 7/41 - 8/41 LSD Is the differential a limited slip or locked differential? System: DISCS Make: COLOTTI NO * Is an oil cooler fitted? Not applicable NO Are sensors fitted? Not applicable

3.1.[c]: Type: Name of the gearbox (if known) + synchronised or not.

Examples:

BMW M3 = Make: Getrag

Formula Junior = Make: Renault

Type: Synchro

Type: 318

Porsche 911 SC = Make: Porsche Type: 915 synchro

<u>3.1.[e]:</u> For homologated cars, refer to the Homologation Form for the gearbox ratios.

Enter the ratios in terms of the number of teeth.

If you use severals gearbox ratios, list these in Section 9 on Page 14.

//\Risk of error: Forgetting to enter the Constant and/or entering the alternatives listed in Section 9 of the form.

3.1.[f] - [g] - [h]: Clutch type, actuation and number of plates must be detailed.

- For homologated cars, the system MUST be as homologated.
- For non-homologated cars, period specification applies.

NB -Additionally, a picture of the mechanism must be inserted on Page 19 when it is not contained within the bell housing or not clearly visible in the gearbox picture.

3.2.[d]: Enter the number of teeth (XX/XX) and not the calculated ratio (X,XX).

Advice: For 4WD cars that have a different ratio on the front, centre and rear differential, fill in:

« F=XX/XX; T=XX/XX; R=XX/XX».

3.2.[e]: Same as in point 3.2.[d].

3.2.[f]: Chose the type of differential, LSD or Locked for direct.

3.2.[g]: If the model has no commercial name, fill in "None". Example of systems: "cam & pawl", "plate", "roller", "Torsen", among others.

a world in motion

2025 International HTP K1 EV1 Form Chapter 3.1 : Complete Form Chapter 3.2 : Complete



ISSUING ASN : FAMS FORM No RSM-5137

4 - BRAKES AND STEERING

BRAKES Is the braking system as per the period specifications? YES Not applicable Actuation (cable, rod, hydraulic, etc.): FR HYDRAULIC * RE HYDRAULIC * Handbrake CABLE Is the braking system assisted? NO Front DUNLOP If drum brakes: Drum diameter Front Shoe width mm If disc brakes: Disc diameter Front 266.00 mm Rear 246.00 mm Rear 9.50 Max. disc thickness Front 11.00 mm Rear No Ventilated disc: Front No Callipers: Material at front CAST IRON Number of pistons per front calliper: 2 Number of pistons per rear calliper: 1 Are sensors fitted? NO

4.2 STEERING

[a]	Is the steering as per the period specifications?	YES
[b]	Not applicable	
[c]	Type (rack and pinion, worm and roller, etc.): RECIRCULATING BALL SCREW	
[d]	Is the steering assisted?	NO
[e]	Not applicable	
[f]	Are sensors fitted?	NO
[9]	Not applicable	

4.1.[c]: Handbrake actuation must be detailed, if applicable. Example: cable, hydraulic, electric, etc.

<u>4.1.[e]: Advice:</u> Enter here the type of assisted braking system, if applicable.

Example: vacuum, hydraulic, etc.



ISSUING ASN : FAMS FORM No RSM-5137

5 - WHEELS

5.1	WHEELS						
[a]	Are the wheels as per the period specifications?						
[b]	Not applicable						
[c]	Are the wheels in multiple parts?						
[d]	Are the diameter and the width of the wheels as per the period specification?						
[e]	550M14						
[f]	Type and material (wire, pressed steel, alu alloy, magnesium alloy, etc.): Front: MAGNESIUM ALLOY Rear: MAGNESIUM ALLOY						
[g]	Diameters / widths of rims at the front (specify the units: inches or millimetres): "						
	1. Diameter: 14.00 * Width: 7.00 * 2. Diameter: 14.00 Width: 6.50						
	3. Diameter: 14.00 Width: 6.00 4. Diameter: Width:						
[h]	Diameters / widths of rims at the rear (specify the units: inches or millimetres):						
	1. Diameter: 14.00 * Width: 7.00 * 2. Diameter: 14.00 Width: 6.50						
	3. Diameter: 14.00 Width: 6.00 4. Diameter: Width:						
i]	Are sensors fitted?						
[i]	Not applicable						

6.1	BODY				
[a]	Is the body to the original specification?	YES			
[b]	Not applicable				
[c]	Not applicable				
[d]	Is all the material of the body as per the period specifications?	YES			
[e]	Main material: ALUMINIUM ALLOY If other material used specify material and body parts:				
[f]	Type (single-seater, coupé, etc.): COUPE				
[g]	Number of seats: 4				
[h]	Number of doors: 2				

6.2 AERODYNAMIC DEVICES (cars built after 1965 only)

Not applicable

<u>5.1.[d]</u> and [e]: No matter the answer to 5.1.d, the size of the tyre used must be detailed in section 5.1.e

Advice - Don't forget to differentiate FR and RE axles if required.

<u>5.1.[g] and [h]: Advice:</u> Only enter each wheel size once for each axle. For homologated cars from Period G1 onwards, if there are more than four sizes of wheel on either axle you can enter a range (ex: from 6" to 8" or 6-8).

/!\ Risk of error in this example:

- g] 1. Diameter: 13 Width: 6 2. Diameter: 13 Width: 6
 - 3. Diameter: 13 Width: 7 4. Diameter: 13 Width: 7

<u>6.1.[e]:</u> /!\ Risk of error: Forgetting to complete the second part of the question. Some cars have body panels in a material that differs from the main body, typically bumpers, side skirts, doors or hard tops.

<u>6.1.[f]:</u> If available, refer to the Homologation Form of the car. For non-homologated cars, it is generally "Single-Seater-Racing-Car" or "Two-Seater-Racing-Car".

6.1.[g] and [h]: Advice: Enter the number of doors and seats originally fitted.

/!\ Risk of error: Entering the number of doors and seats as per the car's current configuration.

6.2.[a]: For all cars built after 1965, fill in this section as well as:

- Page 20 for homologated cars.
- Page 22 for non-homologated cars.
- Page 21 for cars equipped with wings.



6.3	LIGHTING						
[a]	Is the lighting as per the period specifications?					YES	1
[b]	Not applicable						
[c]	Is generator fitted?					YES	1
[d]	Type: dynamo	alternate	or 🗸	other, specify and justify			,
7.1	DIMENSIONS						
[a]	Wheelbase: left	2350.00	mm	right 2350.00	mm		7
[b]	Only for homologated cars Original front Original rear		od G2 on mm mm	wards, body width at centre lin Current front Current rear	ne of axles: mm mm		
[c]	For all other cases, track (Original front Original rear	1310.00	ured bet mm mm	ween the centres of the tyre to Current front 1310.00 Current rear 1270.00	eads): mm mm		

8 - DRAWINGS AND/OR PICTURES

If necessary, drawings and/or pictures of the aerodynamic devices, suspension, etc



Minimum weight: 760

AS PER HOMOLOGATION

ISSUING ASN : FAMS



FORM No RSM-5137

9 - ADDITIONAL PIECES OF INFORMATION

If necessary, list of alternatives (gearbox ratios, etc)

SECTION 8 - LEFT - UPPER ADJUSTER | RIGHT - BOTTOM ADJUSTER - FRONT SUSP. ADDITIONAL IMAGES UNDER DOCUMENTARY REFERENCE / PAGE 19.

<u>7.1.[b]:</u> To be completed only for homologated cars, except for Group 1, 3 and N, from Period G2 onwards. The measurement is to be done from one side of the bodywork to the other, at the vertical going through the center of the wheel hubs.

/!\ Risk of error: Confuse case [b] with [c].

<u>7.1.[c]:</u> To be completed for all other cars (i.e. non homologated, pre Period G2 and all periods Gr. 1, 3 or N cars). The measurement is to be done from the ground level between the centres of the tyre treads.

/!\ Risk of error: For all homologated cars of Group 1, 3 or N, the track must

be detailed, not the body width, even from Period G2.

7.1.[d]: For homologated models, the weight is stated on the Homologation Form or in Appendix J. For cars from Period J1 onwards, the weight of the rollcage as specified at the end of period Appendix J must be added.

For non-homologated cars, refer to the end of period Appendix J.

Section 8 - Drawings and/or Pictures

If the car is fitted with adjustable dampers as per Page 3 Section 1.2.f and/or Page 5 Section 1.3.f, pictures of the adjusters (knobs, screws, reservoirs, etc.) are mandatory under that section.



Presentation photographs

As for the presentation photographs on Page 1, front, back and side views of the car must represent:

- The complete car, ready to race with or without its numbers;
- There must be adequate and uniform light, no shadows;
- The stationary car with nobody on board;
- A limited amount of stickers are authorized including race numbers, in accordance with Article 2.1.9 to Appendix K as well as for cars replicating a period livery and justified by a reference picture on Page 2;
- Windscreen strip are not allowed unless part of a period livery;
- Cars competing in rallies must be fitted with bumpers to the period specification of the model unless the model was homologated in period without bumpers.









Photo of the dashboard:

The photo of the dashboard must show all the instruments used.

For homologated cars, the dashboard must conform to the homologation.
For non-homologated cars, the dashboard must conform to the period specification.

The speedometer and/or original instruments may be replaced by an alternative to the original one providing it is of an analogue type and it remains in the original housing.

Digital instruments which cannot be proven to be part of the period specification and/or additional used for timekeeping or any sort of data logging are forbidden.



ISSUING ASN: FAMS

FORM No RSM-5137





Photo of the boot:

Mandatory for cars with a boot, for other type of cars, please see the next slide.

Alternative photos

Mandatory for cars without a boot, especially single and two seat racing cars, show the non engine end with all bodywork removed.

<u>Underfloor image, if it allows to see more, the angle of the image can be changed.</u>









Photo of the underfloor:

The photo must show the full floor, it can be taken with a simple jack and axle stands.

Additional note for the underfloor photo:

Mandatory for Porsche cars, this enables us to identify the exhaust manifold but it's also valuable to see where the 4 into 1 of particular exhaust come in or to view the tunnels of the diffusor. Always think about the added benefit of the picture.



SSUING ASN : FAMS

FORM No RSM-5137





Photo of the gearbox:

The photo must show the gearbox clearly and in colour to make it possible to identify the casing.

Note that as much as possible the gear linkage must be visible.

Photo of the axle:

The photo of the axle must show the final drive casing clearly.

<u>/!\</u> We do not accept having twice the same photo.



ISSUING ASN - FAMS

FORM No. RSM-5137

DOCUMENTARY REFERENCES

Draw up a list of the technical and descriptive references to the car found in documents (books, periodicals, etc.) contemporary with its construction.

IMAGE 1 - UPPER ADJUSTER FOR REAR DAMPER.

IMAGE 2 - ADDITIONAL VIEW OF REAR AXLE.

IMAGE 3 - ADDITIONAL VIEW OF REAR AXLE.

IMAGE 4 - ADDITIONAL VIEW OF REAR SUSPENSION.









2025 International HTP K1 EV1 Template

Documentary references

It is mandatory to insert an image showing the clutch release mechanism when visible.

Otherwise, any image that may detail some particularities of the car may be inserted on this page.


This is not for inserting chassis references, as this is not for the FIA to consider, nor to add alternative specification which must be listed on a Variant form.



ISSUING ASN : FAMS

FORM No RSM-5139

ECU & ELECTRONICS SYSTEM







2025 International HTP K2 EV1 Template


ECU & ELECTRONICS SYSTEM

Except for Group A, B and N, and complementary to the sensors listed in all applicable sections of the document, a clear diagram listing the sensors and their numbers as well as location must be inserted on this page.

Left bottom image is for the location of the ECU, along with right image which must show the main connector to ECU.

Please refer to Appendix III to Appendix K for guidance and applicable regulations.





2025 International HTP K1 EV1

2025 International HTP K2 EV1


Article 12: A, B and C to be completed for all cars from 1966 onwards;
D and E when the car is equipped with an aerodynamic device (wing, spoiler, splitter, etc.).

ISSUING ASN: FAMS

FORM No RSM-513


DIMENSIONS (TOLERANCE FOR ALL DIMENSIONS: +/-1%)

[A]	mm
[B]	mm
[C]	mm
[D]	mm
[E]	50 mm min.
[F]	mm
[G]	mm
[H]	mm
[1]	mm
[J]	mm
[K]	mm
[L]	mm
[M]	mm



DIMENSIONS (TOLERANCE FOR ALL DIMENSIONS: +/-1%)

[A]	mm
[B]	mm
[C]	mm
[D]	mm max.
[E]	50 mm min.
[F]	mm
[G]	mm
[H]	mm
[1]	mm
[J]	mm



For a Single-Seater Racing Car or Two-Seaters-Racing-Car built after 1965, these section are mandatory.



1.1	ROLL OVER PROTECT	TION SYSTEM		
[a]	System in accordance with:	SELECTION	-	*
1.2 Not ap	FIA HOMOLOGATED S	SELECTION FIA HOMOLOGATION FORM ASN CERTIFICATE CURRENT APPENDIX K PERIOD SPECIFICATION (App J) [NON HOMOL. CARS ONLY] NOT APPLICABLE -> PERIOD A-E ONLY		1

[a]		Main/Lateral bar	Front bar	Diagonals	Other struts	Cross braces	,
[a]		Ivialii/Lateral Dai	FIORIT Dai	Diagonais	Other struts	Closs blaces	
Oute	er diameter (mm)						
Wall	thickness (mm)						
[b]	Material specific	ation:					
[c]	Drawing number	s according to App. K	- App. VI (includir	ng the basic drawin	gs and drawings of	all options used):	
[d]	Number of moun	ting points to bodyshe	ell / chassis:				
	*WHEN N	O DIMENSION IS APP	LICABLE, PLEAS	E FILL N/A FOR TH	OSE SPECIFIC FIEL	DS	
.6	FURTHER IN	FORMATION, IF	NECESSARY:				

Only the section applicable to the car presented will be visible.

This means that depending on the type of ROPS fitted, Section 1.2 will only show up if you've chosen FIA Homologation Form. And if no ROPS is fitted to the car, with the example of a Pre-War or Period E car, none of the section will be applicable and the specific fied will have to be used.

Second change, all fields linked to dimensions must be filled in. If not applicable, it is mandatory to fill "N/A".

All permitted aluminium, titanium and/or integral ROPS must be enetered as Period Specification System under Section 1.5, complementary or where required in Section 1.6



EXTENSION - ROLL OVER PROTECTION SYSTEM - PART 1

1.1 ROLL OVER PROTECTION SYSTEM

ISSUING ASN : FAMS

[a] System in accordance with: CURRENT APPENDIX K

1.2 FIA HOMOLOGATED SYSTEM

Not applicable

1.3 ASN CERTIFIED SYSTEM

Not applicable

1.4 APPENDIX K SYSTEM (SELF MADE)

[a]		Main/Lateral bar	Front bar	Diagonals	Other struts	Cross braces
Oute	r diameter (mm)	50	50	40	40	40
Wall	thickness (mm)	2	2	2	2	2
[b] Material specification: E255 - SEAMLESS COLD DRAWN UNALLOYED STEEL						
[c]	Drawing numbers K3 - K11 - K15	according to App. K	- App. VI (includin	g the basic drawin	gs and drawings of	all options used):

*WHEN NO DIMENSION IS APPLICABLE, PLEASE FILL N/A FOR THOSE SPECIFIC FIELDS

1.5 PERIOD SPECIFICATION SYSTEM

Not applicable

1.6 FURTHER INFORMATION, IF NECESSARY:

A Roll Over Protection Structure (ROPS) may either be:

- **Fabricated** in compliance with the requirements of Appendix II to Appendix K
 - o This is a « Current Appendix K » ROPS under 1.1.(a)
 - Materials and dimensions must be detailed under 1.4
- Homologated or Certified by an ASN in accordance with the requirements of Appendix II as well as the current Homologation Regulations for Historic ROPS
 - o This is an « ASN Certificate » ROPS under 1.1.(a)
 - Article 1.3.(a) must be completed and the relevant certificate must be signed and transmitted through by the ASN with the Application.
- **Homologated in period** by the FIA which is defined as being part of the original Homologation Form as an extension (VO).
 - This is an « Homologation Form » ROPS under 1.1.(a)
 - Article 1.2.(a) must be completed and the relevant extension must be attached and transmitted through by the ASN with the Application.
- **Period Specification**, which is defined as one that was used in competition, in period, on the actual make and model of car.
 - This is a « Period Specification » ROPS under 1.1.(a)
 - Materials and dimensions must be detailed under 1.5
 - This is only applicable to non-homologated cars as well as specific GT, GTS and GTP cars of Period F for Circuit/Hill Climb ONLY.

For any additional information and regulatory text, please refer to Appendix II to Appendix K for ROPS.



HISTORIC TECHNICAL PASSPORT GUIDELINES HOW TO FILL THE FORM – PAGE 23 CLARIFICATION

Additional information and guidance regarding ROPS:

- The 50mm rule
 - o For all open cars of Period F onwards the top of the ROPS must be a minimum of 50mm above the top of the driver's helmet.
- Extensions
 - o Any ROPS extension fitted will render the structure as non-compliant unless certification can be produced.
- Period specification and Integral and/or Titanium ROPS
 - o An integral and/or titanium ROPS may only be considered if period specification;
 - Additionally and for the integral one, it is defined as one that is part of the structure and that cannot be separated without partial or total destruction of the car from one of its components. Rivet removal and/or monocoque disassembly is however not considered as destruction;
 - o If any integral and/or titanium ROPS is a feature of the car, it is mandatory to mention it under Page 23/1.5.(b).
- Except for the addition of a horizontal bar to fix the harnesses, a diagonal member (orientation optional), or to fit door bars, any modification to a homologated, certified or period specification ROPS is forbidden.
 - o Other than the above, any additional elements, welding or machining will be considered a modification.
- « Elements used in period » is defined as design, not tube material specification and dimensions or joining methods.

For any additional information and regulatory text, please refer to Appendix II to Appendix K for ROPS.



ISSUING ASN :	FAMS	FORM No	RSM-5137
ISSUING ASIN .	PAINS	FURIVI NO	KOIN-DIDI

TECHNICAL REGULATIONS

- The car must comply with the technical regulations for Group:	GROUP 2 IMPROVED TOURING CARS
of.	APPENDIX J 1965
- Or, the car must comply with the following technical regulations:	APPENDIX VI TO K (from 2025
The regulations of current Appendix K have priority.	

APPLICANT'S DECLARATION

I AS OWNER OR PERSON WHO HAS BEEN DULY AUTHORISED BY THE OWNER TO SUBMIT THE APPLICATION FOR THE HTP, CERTIFY (I) THAT THE INFORMATION GIVEN IS CORRECT, AND (II) THAT THE AUTHORISING ASN WILL BE IMMEDIATELY NOTIFIED SHOULD ANY CHANGES BE MADE TO THE CAR AFTER THE PRESENT HTP HAS BEEN ISSUED. I FURTHERMORE ACKNOWLEDGE, THAT SHOULD THE CAR NOT CONFORM TO THE SPECIFICATIONS SET FORTH HEREIN AT ANY TIME AFTER ISSUANCE OF THE PRESENT HTP, THIS HTP MAY BE IMMEDIATELY CANCELLED. I ALSO UNDERTAKE THAT ANY ENTRY FORM FOR AN FIA INTERNATIONAL EVENT WILL BE FILLED IN ACCORDING TO THE INFORMATION GIVEN ON THE PRESENT FORM.

Name of the Applicant: RS	HISTORICS SRL
Name of the car owner (if different than the Applicant): JOHN DOE	
Full address: Address of th	e owner of the car
Licence number (if applicab	le):
Date:	Signature :

CAUTION: This document is intended solely to verify that, at the date of the inspection, the car appears to be eligible to compete in FIA-sanctioned events for Historic Vehicles (as defined in the International Sporting Code). It makes no representation as to the authenticity or history of the car. The ASN has not inspected the car for any purpose other than that specified above, and neither the ASN nor the FIA shall be held liable, in any way for the accuracy or fitness for a particular purpose (other than the purpose set forth above), of any information contained in this form. Such information has been supplied by the applicant on behalf of the owner of the car, who remains solely responsible for its accuracy.

CHANGE IN OWNERSHIP

Name of the new car owner:
Full address:
Licence number (if applicable):
Name of the new car owner:
Full address:
Licence number (if applicable):
Name of the new car owner:
Full address:
Licence number (if applicable):

Article 14: The various scenarios are:

- The car corresponds to regulations for a defined group in a period Appendix J, for which the year needs to be specified.
- The car corresponds to an Appendix to the current Appendix K.
 - C/CT & GT/GTS of Period E, F & G1
 - → Appendix VI.
 - Two-Seater Racing Cars of Period HR or IC
 - → Appendix VIII
 - Formula One from 1966
 - → Appendix IX.
 - Rally and Hill Climb cars of Period J1, J2, K, KC, KRC → Appendix VII.

/!\ In case of a non-homologated ROPS, do not forget to complete and sign Page 27.



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM

PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES



PRESENTATION PHOTOGRAPHS

<u>Photographs must be of sufficient quality to enable a scrutineer to verify the specification of the car.</u>

Please take photos from a distance to provide a wide enough frame, especially given the new 16:9 format - (1280x720px).

The car can be displayed with race stickers and a minimum amount of decals, on the ground and ready to race with steering column in neutral position.

Clear and uncluttered background is highly recommended, the photos have to be clear enough and as best as possible, must avoid any shadow.



Photos must always be in "landscape" format.



SUSPENSION PHOTOGRAPHS

The purpose of these photos is to show the precise specification of the drivetrain of the car. The photos must be clear and accordingly framed.

Pay attention to the light on the photos. Photos that are too dark or blurred will be refused.

Show the whole suspension, especially the brake callipers and discs and the majority of mounting points between the chassis and the wheel hubs. If possible, showing the calliper opening for the brake pads and its attachment system in place.

The suspension must be free. Put the jack or axle stand under the chassis, not the wishbone.

If the car is fitted with drum brakes, the drum must be removed and its inner face must appear on the photograph.

Photos must always be in "landscape" format.



HISTORIC TECHNICAL PASSPORT GUIDELINES PICTURES & FORMAT













Photos were taken with the car on the floor using only a jack and axle stands.



ENGINE PHOTOGRAPHS

These photos have to be taken from each side of the car. Not in front of it.


Please note that the whole engine bay must be displayed, not simply a close-up of the engine.

The content must display the car in ready-to-drive condition with all ancillary parts (battery, bonnet,...).

For cars having a large air filter housing (for example, American V8 cars), take one photo with (so that we can check its conformity to period specification) and the other without (so we can see more details, like the carburettor(s) for example).



















PORSCHE 911 ENGINE PHOTOS

Particularity of the Porsche 911's engine photos, it must to show the upper mount of the dampers.







GEARBOX AND AXLES PHOTOS

Gearbox photos must display selection and/or clutch mechanism, if visible in the near perimeter.

Example: A Period F Ford Cortina Lotus has a master-cylinder on the near left side of the bell-housing \rightarrow the photo has to show it.

All photos must be landscape view, not portrait view.

All GT and Touring Cars are homologated and road legal. Therefore they must be equipped with their handbrakes and cables. If a hydraulic handbrake is fitted to the car, this must correspond to the Homologation Form or period specification.

For Two-Seater-Racing-Cars with transaxles, a good option is to simply take one photo from each side of the car.

For Single-Seater-Racing-Cars, a photo from one side and second from the rear may add clarity.









Two-Seater-Racing-Car





Single-Seater-Racing-Car



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM


PICTURES & FORMAT

ROPS CERTIFICATES

COMMON MISTAKES




HISTORIC TECHNICAL PASSPORT GUIDELINES ROPS CERTIFICATES



This certificate sports the manufacturer's signature. But it doesn't sport the signature of the ASN or the FIA. It is not acceptable.



HISTORIC TECHNICAL PASSPORT GUIDELINES ROPS CERTIFICATES



This certificate sports the manufacturer's signature.

It does sport the logos, stamps and signature from an ASN which recognizes the compliance of this ROPS to the applicable FIA homologation regulations. It is acceptable.



PURPOSE OF THE DOCUMENT

THE APPLICATION PROCEDURE

GENERAL FEATURES

HOW TO FILL THE FORM


PICTURES & FORMAT

ROPS CERTIFICATES


COMMON MISTAKES











Insufficient quality of the photos. /





The car has to be presented with limited amount of stickers or advertisement (except in case of period livery).






Wrong proportions.









Photos have to show the whole engine bay.





The car must be on a ready-to-race condition on the photos. <u>Nothing should be covered.</u>